

Ministry of Environment, Forest & Climate Change
[IA.I Division]

Agenda for 16th Meeting of Expert Appraisal Committee (EAC) for River Valley & Hydroelectric Projects

DATE: 27th July, 2018

TIME: 10.30 am onwards

VENUE: TEESTA MEETING HALL, FIRST FLOOR, VAYU WING, INDIRA PARYAVARAN BHAWAN, JOR BAGH ROAD, NEW DELHI -3.

Item No. 16.0	CONFIRMATION OF MINUTES OF 15th EAC MEETING
Item No. 16.1 10.30-10.50 am	Expansion of Parwan Major Multipurpose Irrigation Project from CCA 1.31 lakh ha to CCA 2.01 lakh ha area (Phase II), Jhalawar, Rajasthan, Water Resources Department of Rajasthan- reg. TOR/Scoping Clearance. F.No. J-12011/17/2018-IA.I, Proposal No. IA/RJ/RIV/75576/2018.
Item No. 16.2 10.50-11.40 am	Kosi-Mechi Intrastate Link Project (Construction of canal (76.20 km) on the existing barrage beyond existing Eastern Kosi Main Canal (41.30 km) for irrigation purpose under Kosi-Mechi Intrastate Link Project in the State of Bihar- reg. Fresh Environmental clearance. File No. J-12011/22/2016-IA.I, Proposal No. IA/BR/RIV/57622/2016.
Item No. 16.3 11.40-12.30 pm	Kirthai Stage I (390 MW) in Kishtwar District of Jammu & Kashmir by JKSPDC Ltd., Govt. of Jammu & Kashmir – For reconsideration of Environment clearance-reg. File No. J-12011/6/2008-IA-I, Proposal No. IA/JK/RIV/64942/2012.
Item No. 16.4 12.30-1.20 pm	Kirthai Stage II (930 MW) in Kishtwar District of Jammu & Kashmir by JKSPDC Ltd., Govt. of Jammu & Kashmir – For reconsideration of Environment clearance-reg. F.No. J-12011/6/2012-IA.I, Proposal No. IA/JK/RIV/64947/2012.
Lunch Break 1.20 to 1.50 pm	
Item No. 16.5 1.50-2.10 pm	Kamala HEP (1,800 MW) in Kamle (Formerly Lower Subansiri) district of Arunachal Pradesh by M/s Kamala Hydroelectric Project Co. Ltd – reg. Scoping/ToR Clearance. File No. J-12011/18/2018-IA.I(R), Proposal No. IA/AR/RIV/75829/2018
Item No. 16.6 2.10-2.30 pm	Hanota Irrigation Project (40,000 ha CCA) on Bina river at Hanota village, Khurai Tehsil, Sagar district by Water Resources Department, Govt. of Madhya Pradesh, Madhya Pradesh – reg. Scoping/ToR Clearance. File No. J-12011/19/2018-IA.I(R), Proposal No. IA/MP/RIV/75828/2018
Item No. 16.7 2.30-3.20 pm	Majhgaon Medium Irrigation project (CCA: 9,000 ha), Panna district, Madhya Pradesh, Water Resource Department, Madhya Pradesh – reg. Fresh environmental Clearance (General Condition applies) File No. J-12011/4/2014-IA.I(R), Proposal No. IA/MP/RIV/61490/2018

Item No. 16.8 3.20-4.10 pm	Proposed Kanhar Barrage Project (CCA: 53,283 ha) near village Khuri under Ranka Block under Garhwa district, Jharkhand- for Fresh Environment Clearance- reg. File No. J-12011/17/2015-IA.I, Proposal No. IA/JH/RIV/29061/2015.
Item No. 16.9 4.10 pm onwards	Any other item with the permission of the Chair.

Note:

1. Project Proponents are required to submit all documents both in hard and soft form to all the Members, within 2 days of uploading this notice.
2. **A 2-3 page brief summary of the project to be submitted within 2 days of the uploading of Agenda in the website of the Ministry to the Member Secretary at s.kerketta66@gov.in and n.subrahmanyam@gov.in. Non-submission of the same will lead to deferment of project, etc.**
3. Project Proponents are requested to attend the above meeting and give detailed presentation(s) on their proposal(s). For proposals from the Private Sector Organizations, Director or above level and for proposals from the Government, the Chief Engineer concerned or above level officer/s should lead the team. Officers should come and respond to explain the project and respond to queries from the Committee Members.
4. The project proponents may kindly treat this as official communication and may not wait for separate letter(s) from MoEFCC although, letters are being issued separately. For any clarification, **Dr. S Kerketta, Director-IA.I at 011-24695314 may be contacted.**
5. A short duration videography of the project area is to be presented before the EAC for better understanding of the project site. The project proponents may therefore, ensure that they carry out videography before the meeting.
6. Mobile Phone should be kept on switch off/ silent mode during the meeting.
7. Distribution of writing pads, pens, plastic folders and stationery items during the meeting is not permitted. Distribution of color print out may be avoided unless it is stated specifically.
8. Use both sides of papers, to the extent possible, for presentation material, etc. Avoid to distribute any color print out unless, it is stated specifically.
